

Fearless International (FRLE) \$0.19

Fearless International Inc., a luxury performance boat manufacturer, has been the focus of the media for the last several months in magazine such as GQ, Time, Bloomberg Markets, Maxim, and over 20 others.

According to TIME, "When a company bold enough to call itself Fearless Yachts splashed onto the luxury-boat market, it drew considerable attention. Collaborating with Porsche Design Studio/Austria on a series of high-style, high-performance yachts, the brand unveiled its first model, the Fearless 28, in February." Since its release, Fearless Yachts has taken orders for more than 33 Yachts bringing more than \$10 Million in sales and put the production facility at 75% capacity.

Top 5 Reasons To Consider Fearless Yachts:

- 1: Already \$10,000,000 In Sales Since First 7 Months.
- 2: First of a 5 yacht series had huge response from the market.
- 3: Next yacht designs have been released and Debut is in Miami in February
- 4: Company set to begin international marketing.

However, when you run the application, although the background images give the page a nice look, it's often the case that the text on top of the images is hard to read or even lost.

Each line does succeed in creating a File object.

For example, you'll learn how to insert translucent masks between the text and the background so that the text stands out.

Have your program also print out a message when the tab selection changes.

It has to add the component with the constraints.

Lists are appropriate UI components for many applications, but an unsorted list has limited usefulness.

You then create a header fragment and a navigation fragment and include these fragments in the home page.

While the challenge asks you to create your own preview panel, if you don't want one shown, you must use a component with no size, like an empty container, as shown here.

Technical Articles The Power of DTrace This overview of DTrace offers sample scripts.

To activate the applet for interaction, users need to manually click on the applet, or use the Tab key to set focus on the applet and then press the Spacebar or the Enter key.

When you use a Spring, you need to add each Spring constraint separately to SpringLayout.

The page fragment appears on the page.

DefaultListModel class provides sorted data.

In addition to appearing within your application windows, the JColorChooser class also provides support methods for automatically placing the group of components in a JDialog.

In the Java look and feel, the save dialog looks the same as the open dialog, except for the title on the dialog's window and the text on the button that approves the operation.

The LVC is a dynamic and fully interactive online learning environment that features live teaching collaboration and instructor-assisted activities.

You might also include your company name and copyright information in a page fragment and use that fragment as your application's footer.

Derby was previously available under its earlier name, Cloudscape, from its form

er owners: Cloudscape, Informix, and IBM.

Constraints by setting specific constraints on an edge of the component.

Submit Your Tips and Get Cool Gifts Send in your articles and tech tips on Solar is software development.

Finally, the example program has commented-out lines of code that let you change the file selection mode.

Set the User Name and Password to nbuser.

Excellent Good Fair Poor Comments: If you would like a reply to your comment, please submit your email address: Note: We may not respond to all submitted comments.

For More Information How to Use SpringLayout Sun Java Studio Creator NetBeans.

For more information on modifying the web.

The color selected within the chooser becomes the background color of the button after the OK button is selected.

Applet Deployment Guide for Microsoft Internet Explorer ?

For each tab, associate a mnemonic of the first character of the color name.

Java technology programmers often use the javax.

What's New on Java Studio Creator ?

In addition to appearing within your application windows, the JColorChooser class also provides support methods for automatically placing the group of components in a JDialog.

This article gives you code examples, with a detailed walkthrough of the kstat output, plus tips on using these APIs with the Java platform.

As they did with the Java platform's AWT classes, the designers of these classes have taken the least common denominator of all filing systems for their model.

Sun distributes Java DB in many of its products, including the Sun Java Enterprise System and the Sun Java System Application Server.

Be sure to drop the component on the page and not on the page fragment.

The following is a description of what you can do with files without opening them.